


Figure 1 is a schematic diagram of a doll system 100. The system includes a "Configured Doll" 110 and a "Toilet Seat (Toy)" 120, both contained within a larger box. A "Potty Time" character is shown interacting with the doll. To the right, a "Velcro" toy figure is shown with a "Plug" and a "Toilet Seat" component.



Hand could attach to railing






FIG. 2



- Notes:
- 1) Head and torso are joined by a neck joint.
 - 2) Head and torso are joined by a neck joint.
 - 3) Head and torso are joined by a neck joint.
 - 4) Head and torso are joined by a neck joint.
 - 5) Head and torso are joined by a neck joint.
 - 6) Head and torso are joined by a neck joint.
 - 7) Head and torso are joined by a neck joint.
 - 8) Head and torso are joined by a neck joint.
 - 9) Head and torso are joined by a neck joint.
 - 10) Head and torso are joined by a neck joint.









FIG. 3



Notes:
1) The baby is using the device.
2) The baby is in the toilet.
3) Training pants are not used.
4) The baby is not in the toilet.
5) The baby is not in the toilet.
6) The baby is not in the toilet.
7) The baby is not in the toilet.
8) The baby is not in the toilet.



Potty
Tyme



FIG 1

PLUG






FIG 1



Potty
Tyme


FIG 1

Velcro



BACK

PLUG



BACK






FIG 1

Notes

- 1) Sound like using potty
- 2) For boys & girls
- 3) Training pants pull down automatically when sitting on potty
- 4) Battery operated doll
- 5) Mechanism could attach doll to potty for trainer removal

Timer & Sound

Training
Pants



Velcro detachable shoes

FIG 2

+



Hand could attach to training
pants to assist pull down mechanism

FIG 3

+